01

MERCURY SUPER VENTURA KT-950-0220-00

UNDERSTAND | INNOVATE | PROTECT

T: +44 (0) 1989 568 350 F: +44 (0) 1989 568 351 info@kirintec.com www.kirintec.com





MERCURY

SUPER VENTURA



HIGH PERFORMANCE C-IED SYSTEM

Super Ventura takes the proven technology from Mercury Ventura and increases the frequency coverage up to 6Ghz and doubles the output power to 90 watts.

Super Ventura is a mission proven, fully programmable C-IED jammer for portable use. Capable of defeating all current and likely future RCIED threats.

The system is a portable and flexible C-IED jammer designed with ultra-fast, powerful and versatile signal sources and is fully programmable between 20 MHz and 6 GHz. Super Ventura is provided with an omnidirectional antenna as standard or directional antenna if required.

Key Features

90 watts output

Fully programmable 20 MHz – 6 GHz

Responsive technology 25 MHz – 512MHz

- Dimensions:460mm x 230mm x 295mm
- Weight: 22.6kg (excluding power)
- Operating frequency:20 MHz 6 GHz
- Operating temperature range: as standard: -20°C to +55°C



Specifications

- **Dimensions** 460mm x 230mm x 295mm
- Weight 22.6kg (excluding power)

Colour Options



Sand	

For more product information scan this code:



Green

System characteristics	SUPER VENTURA	
RF power	90 W	
Voltage in	18 to 32 VDC	
SUPER VENTURA Frequency Range	20 MHz – 6 GHz	
Batteries	Detachable 2590 Li-ion	
Operating temperature range as standard	-20°C to +55°C	
IP 65 environmental protection	✓	
Programmable	✓	
Built-in self test	✓	
Anti-Tamper	✓	
Zeroize	✓	
Antenna set	Omni or directional	
Programming files and transfer device	✓	
Battery charger	✓	

Mercury SUPER VENTURA